


Corc

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Kathi Howard 8-24-06  
Kathi Howard Date



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Serial No.: 09/694,225  
Filed: October 23, 2000  
Patent No.: 6,934,511  
Issued: August 23, 2005  
Applicant(s): Breck W. Lovinggood, Mano D. Judd, and William P. Kuiper  
Title: INTEGRATED REPEATER

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**Certificate**

SEP 01 2006

**of Correction**

ATTN: DECISION AND CERTIFICATE OF CORRECTION  
BRANCH OF THE PATENT ISSUE DIVISION

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT  
FOR PTO MISTAKE (37 CFR §1.322 (a)) AND  
APPLICANT'S MISTAKE (37 C.F.R. §1.323)**

Sir:

Attached in duplicate form, is Form PTO-1050, with at least one copy being suitable for printing. Many of the errors below are (or may be contended to be) the mistake of Applicant who states that the errors are of a minor nature or character and occurred in good faith, and correction thereof does not involve such changes in the patent as would constitute new matter or would require reexamination. Some of the errors which appear in the Form PTO-1050 were

08/30/2006 HGBREH1 00000033 6934511

01 FC:1811

100.00 OP

SEP 05 2006

typographical errors which occurred through the fault of the U.S. Patent and Trademark Office (“PTO”).

The exact column and line number where the errors are shown in the patent are as follows:

Column 1, lines 3-4 read “CROSS-REFERENCE TO RELATED APPLICATION” and should read – CROSS-REFERENCE TO RELATED APPLICATIONS –.

Column 1, line 48 reads “...manufactures are under constant pressure from customers...” and should read – ... manufacturers are under constant pressure from customers ... –.

Column 2, lines 39-40 read “...plurality of antenna elements, and said repeater electronics an including an interference cancellation circuit for...” and should read – ... plurality of antenna elements, and said repeater electronics including an interference cancellation circuit for ... –.

Column 3, line 13 reads “FIG. 14 is a block diagram of a repeater system/similar to...” and should read – FIG. 14 is a block diagram of a repeater system similar to... –.

Column 4, line 9 reads “...repeater electronics 25 which is mounted elsewhere on the...” and should read – ...repeater electronics 25 which are mounted elsewhere on the... –.

Column 4, line 63 reads “...approach required that the filters 160, 162, provide all of the...” and should read – ...approach required that the filters 160, 162 provide all of the ... –.

Column 6, lines 66-67 read “...angles and elevations can then be used to create with desired beam. In FIG. 20, the antennas 600 in an N by N (e.g., 3 by...” and should read – ...angles and elevations can then be used to create the desired beam. In FIG. 20, the antennas 600 in an N by N (e.g., 3 by... –.

Column 7, line 20 reads “...122a may mount a plurality / elements 600 which may be ...” and should read – ...122a may mount a plurality antenna elements 600 which may be ... –.

Column 7, lines 23-24 read “The relatively thin housing 152a may between the two faces or surfaces 122a and 132a may house the electronics.” and should read – The relatively thin housing 152a between the two faces or surfaces 122a and 132a may house the electronics. –.

SEP 05 2005  
RECEIVED

Column 7, line 41 reads "...FIG. 23, each of the surfaces 122*d* and 132*d* may of antenna..." and should read - ... FIG. 23, each of the surfaces 122*d* and 132*d* of antenna... -.

Column 8, line 62 reads "...element, is simply a patch that forces more energy in the..." and should read - ...element is simply a patch that forces more energy in the... -.

Column 9, line 30 reads "...between the patches on opposites sides, and allows one to..." and should read - ...between the patches on opposite sides, and allows one to... -.

Column 9, line 58 reads "...coupled to one terminal a summer 283. All of the lines 288..." and should read - ...coupled to one terminal of summer 283. All of the lines 288... -.

Column 10, line 21 reads "...canceller to provide additional gain and phase margin, is..." and should read - ...canceller to provide additional gain and phase margin and is... -.

Column 13, line 31 reads "...5, the function of the filters 200, 202 is incorporate in the..." and should read - ...5, the function of the filters 200, 202 is incorporated in the... -.

Column 14, CLAIM 7, line 42 reads "...patch antenila elements comprises a reduced surface wave..." and should read - ...patch antenna elements comprises a reduced surface wave...-.

Column 14, CLAIM 10, line 60 reads "...ahtenna and wherein said repeater electronics further include..." and should read - ...antenna and wherein said repeater electronics further include...-.

Column 15, CLAIM 17, line 36 reads "...line delay, coupled respectively with the antennas elements..." and should read - ...line delay, coupled respectively with the antenna elements... -.

Column 15, CLAIM 19, line 43 reads "...antenna and said null antenna each comprise a fiat panel and..." and should read - ...antenna and said null antenna each comprise a flat panel and... -.

Column 16, CLAIM 24, line 4 reads "...thereon each of said antennas defining a peripheral edge..." and should read - ...thereon, each of said antennas defining a peripheral edge... -.

Column 16, CLAIMS 28 & 29, lines 16-25: Upon review of the issued patent and the claims therein, it was discovered that the claims 28-29 are duplicative in language to issued claims 22-23 and should have been deleted in prosecution. To address this oversight, please delete issued claims 28-29 in

this patent as duplicative. The subject matter of those claims, as reflected in the remaining claims 22-23, is not disclaimed, and claims 22-23 should remain intact as issued.

Column 16, CLAIM 30, line 27 reads "...antenna and said null antenna each comprise a relatively fiat..." and should read - ...antenna and said null antenna each comprise a relatively flat... -.

Column 16, CLAIM 33, line 48 reads "...in both an uplink path and a downlink antenna." and should read - ...in both an uplink path and a downlink path. -.

Column 16, CLAIM 35, line 55 reads "...transmit and receive repeater arrays." and should read - ...transmit and receive antenna arrays. -.

Column 16, CLAIM 36, line 57 reads "...said donor and null antenna comprise an antenna array..." and should read - ...said donor and null antenna comprises an antenna array... -.

Column 16, CLAIM 36, lines 58-59 read "...comprising a plurality of patch antenna elements arranged in a an M by N array." and should read - ...comprising a plurality of patch antenna elements arranged in an M by N array. -.

Column 17, CLAIM 42, line 22 reads "...antenna array, for controller for controlling operation of said..." and should read - ...antenna array, a controller for controlling operation of said... -.

Column 17, CLAIM 43, line 30 reads "...and coupled respectively with the antennas elements of the..." and should read - ...and coupled respectively with the antenna elements of the... -.

Column 18, CLAIM 53, line 19 reads "...an L/Q modulator coupled to said attenuator and to said..." and should read - ...an I/Q modulator coupled to said attenuator and to said... -.

Column 18, CLAIM 56, line 32 reads "...bent material surround each said antenna face." and should read - ...bent material surrounds each said antenna face. -.

Column 19, CLAIM 63, line 1 reads "...respectively with the antennas elements of the donor..." and should read - ...respectively with the antenna elements of the donor... -.

Column 19, CLAIM 68, line 16 reads "...viding setup, communication and monitoring functions for..." and should read - ...viding setup, communications and monitoring functions for... -.

SEP 05 6000

Column 19, CLAIM 79, line 66 reads "...put signal sample and JIQ modulating the attenuating signal..." and should read - ...put signal sample and I/Q modulating the attenuating signal... -.

Column 20, CLAIM 80, line 3 reads "...receiving said radio frequency signal to one of a donor..." and should read - ...receiving said radio frequency signal at one of a donor... -.


Please send the certificate to:

Kurt A. Summe, Esq.  
Wood, Herron & Evans, L.L.P.  
2700 Carew Tower  
Cincinnati, Ohio 45202

As most of the errors are, or could be contended to be Applicant's mistakes, enclosed is a check for \$100.00 to cover the correction fee. If there is any further charge or credit due, please use Deposit Account No. 23-3000.

Respectfully submitted,

WOOD, HERRON & EVANS, L.L.P.

By:   
Kurt A. Summe, Reg. No. 36,023

WOOD, HERRON & EVANS, L.L.P.  
2700 Carew Tower  
441 Vine Street  
Cincinnati, Ohio 45202  
(513) 241-2324

SEP 05 6000

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

PATENT NO. : 6,934,511

DATED : August 23, 2005

INVENTOR(S) : Breck W. Lovinggood, Mano D. Judd, and William P. Kuiper

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1, lines 3-4 read "CROSS-REFERENCE TO RELATED APPLICATION" and should read – CROSS-REFERENCE TO RELATED APPLICATIONS –.

Column 1, line 48 reads "...manufactures are under constant pressure from customers..." and should read – ... manufacturers are under constant pressure from customers ... –.

Column 2, lines 39-40 read "...plurality of antenna elements, and said repeater electronics an including an interference cancellation circuit for..." and should read – ... plurality of antenna elements, and said repeater electronics including an interference cancellation circuit for ... –.

Column 3, line 13 reads "FIG. 14 is a block diagram of a repeater system/similar to..." and should read – FIG. 14 is a block diagram of a repeater system similar to... –.

Column 4, line 9 reads "...repeater electronics 25 which is mounted elsewhere on the..." and should read – ...repeater electronics 25 which are mounted elsewhere on the... –.

Column 4, line 63 reads "...approach required that the filters 160, 162, provide all of the..." and should read – ...approach required that the filters 160, 162 provide all of the ... –.

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.  
2700 Carew Tower  
441 Vine Street  
Cincinnati, OH 45202-2917

PATENT NO. 6,934,511

No. of add'l copies

@ 50¢ per page: \_\_\_\_\_

PAGE 1 of 6

SEP 05 4000

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

PATENT NO. : 6,934,511

DATED : August 23, 2005

INVENTOR(S) : Breck W. Lovinggood, Mano D. Judd, and William P. Kuiper

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 6, lines 66-67 read "...angles and elevations can then be used to create with desired beam. In FIG. 20, the antennas 600 in an N by N (e.g., 3 by..." and should read - ...angles and elevations can then be used to create the desired beam. In FIG. 20, the antennas 600 in an N by N (e.g., 3 by... -.

Column 7, line 20 reads "...122a may mount a plurality / elements 600 which may be ..." and should read - ...122a may mount a plurality antenna elements 600 which may be ... -.

Column 7, lines 23-24 read "The relatively thin housing 152a may between the two faces or surfaces 122a and 132a may house the electronics." and should read - The relatively thin housing 152a between the two faces or surfaces 122a and 132a may house the electronics. -.

Column 7, line 41 reads "...FIG. 23, each of the surfaces 122d and 132d may of antenna..." and should read - ... FIG. 23, each of the surfaces 122d and 132d of antenna... -.

Column 8, line 62 reads "...element, is simply a patch that forces more energy in the..." and should read - ...element is simply a patch that forces more energy in the... -.

Column 9, line 30 reads "...between the patches on opposites sides, and allows one to..." and should read - ...between the patches on opposite sides, and allows one to... -.

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.  
2700 Carew Tower  
441 Vine Street  
Cincinnati, OH 45202-2917

PATENT NO. 6,934,511

No. of add'l copies

@ 50¢ per page: \_\_\_\_\_

PAGE 2 of 6

SEP 05

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

PATENT NO. : 6,934,511

DATED : August 23, 2005

INVENTOR(S) : Breck W. Lovinggood, Mano D. Judd, and William P. Kuiper

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 9, line 58 reads "...coupled to one terminal a summer 283. All of the lines 288..." and should read - ...coupled to one terminal of summer 283. All of the lines 288... -.

Column 10, line 21 reads "...canceller to provide additional gain and phase margin, is..." and should read - ...canceller to provide additional gain and phase margin and is... -.

Column 13, line 31 reads "...5, the function of the filters 200, 202 is incorporate in the..." and should read - ...5, the function of the filters 200, 202 is incorporated in the... -.

Column 14, CLAIM 7, line 42 reads "...patch antenila elements comprises a reduced surface wave..." and should read - ...patch antenna elements comprises a reduced surface wave...-.

Column 14, CLAIM 10, line 60 reads "...ahtenna and wherein said repeater electronics further include..." and should read - ...antenna and wherein said repeater electronics further include...-.

Column 15, CLAIM 17, line 36 reads "...line delay, coupled respectively with the antennas elements..." and should read - ...line delay, coupled respectively with the antenna elements... -.

Column 15, CLAIM 19, line 43 reads "...antenna and said null antenna each comprise a fiat panel and..." and should read - ...antenna and said null antenna each comprise a flat panel and... -.

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.  
2700 Carew Tower  
441 Vine Street  
Cincinnati, OH 45202-2917

PATENT NO. 6,934,511

No. of add'l copies

@ 50¢ per page: \_\_\_\_\_

PAGE 3 of 6

SEP 05 2006



UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

PATENT NO. : 6,934,511

DATED : August 23, 2005

INVENTOR(S) : Breck W. Lovinggood, Mano D. Judd, and William P. Kuiper

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 16, CLAIM 24, line 4 reads "...thereon each of said antennas defining a peripheral edge..." and should read - ...thereon, each of said antennas defining a peripheral edge... -.

Column 16, CLAIMS 28 & 29, lines 16-25: Upon review of the issued patent and the claims therein, it was discovered that the claims 28-29 are duplicative in language to issued claims 22-23 and should have been deleted in prosecution. To address this oversight, please delete issued claims 28-29 in this patent as duplicative. The subject matter of those claims, as reflected in the remaining claims 22-23, is not disclaimed, and claims 22-23 should remain intact as issued.

Column 16, CLAIM 30, line 27 reads "...antenna and said null antenna each comprise a relatively fiat..." and should read - ...antenna and said null antenna each comprise a relatively flat... -.

Column 16, CLAIM 33, line 48 reads "...in both an uplink path and a downlink antenna." and should read - ...in both an uplink path and a downlink path. -.

Column 16, CLAIM 35, line 55 reads "...transmit and receive repeater arrays." and should read - ...transmit and receive antenna arrays. -.

Column 16, CLAIM 36, line 57 reads "...said donor and null antenna comprise an antenna array..." and should read - ...said donor and null antenna comprises an antenna array... -.

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.  
2700 Carew Tower  
441 Vine Street  
Cincinnati, OH 45202-2917

PATENT NO. 6,934,511

No. of add'l copies

@ 50¢ per page: \_\_\_\_\_

PAGE 4 of 6

SEP 05 2006

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

PATENT NO. : 6,934,511

DATED : August 23, 2005

INVENTOR(S) : Breck W. Lovinggood, Mano D. Judd, and William P. Kuiper

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 16, CLAIM 36, lines 58-59 read "...comprising a plurality of patch antenna elements arranged in a an M by N array." and should read – ...comprising a plurality of patch antenna elements arranged in an M by N array. –.

Column 17, CLAIM 42, line 22 reads "...antenna array, for controller for controlling operation of said..." and should read – ...antenna array, a controller for controlling operation of said... –.

Column 17, CLAIM 43, line 30 reads "...and coupled respectively with the antennas elements of the..." and should read – ...and coupled respectively with the antenna elements of the... –.

Column 18, CLAIM 53, line 19 reads "...an L/Q modulator coupled to said attenuator and to said..." and should read – ...an I/Q modulator coupled to said attenuator and to said... –.

Column 18, CLAIM 56, line 32 reads "...bent material surround each said antenna face." and should read – ...bent material surrounds each said antenna face. –.

Column 19, CLAIM 63, line 1 reads "...respectively with the antennas elements of the donor..." and should read – ...respectively with the antenna elements of the donor... –.

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.  
2700 Carew Tower  
441 Vine Street  
Cincinnati, OH 45202-2917

PATENT NO. 6,934,511

No. of add'l copies

@ 50¢ per page: \_\_\_\_\_

PAGE 5 of 6

SEP 05 2005

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,934,511

DATED : August 23, 2005

INVENTOR(S) : Breck W. Lovinggood, Mano D. Judd, and William P. Kuiper

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 19, CLAIM 68, line 16 reads "...viding setup, communication and monitoring functions for..." and should read – ...viding setup, communications and monitoring functions for... –.

Column 19, CLAIM 79, line 66 reads "...put signal sample and JIQ modulating the attenuating signal..." and should read – ...put signal sample and I/Q modulating the attenuating signal... –.

Column 20, CLAIM 80, line 3 reads "...receiving said radio frequency signal to one of a donor..." and should read – ...receiving said radio frequency signal at one of a donor... –.

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.  
2700 Carew Tower  
441 Vine Street  
Cincinnati, OH 45202-2917

PATENT NO. 6,934,511

No. of add'l copies

@ 50¢ per page: \_\_\_\_\_

PAGE 6 of 6

SEP 05 2005

**UNITED STATES PATENT AND TRADEMARK OFFICE**  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,934,511

DATED : August 23, 2005

INVENTOR(S) : Breck W. Lovinggood, Mano D. Judd, and William P. Kuiper

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1, lines 3-4 read "CROSS-REFERENCE TO RELATED APPLICATION" and should read – CROSS-REFERENCE TO RELATED APPLICATIONS –.

Column 1, line 48 reads "...manufactures are under constant pressure from customers..." and should read – ... manufacturers are under constant pressure from customers ... –.

Column 2, lines 39-40 read "...plurality of antenna elements, and said repeater electronics an including an interference cancellation circuit for..." and should read – ... plurality of antenna elements, and said repeater electronics including an interference cancellation circuit for ... –.

Column 3, line 13 reads "FIG. 14 is a block diagram of a repeater system/similar to..." and should read – FIG. 14 is a block diagram of a repeater system similar to... –.

Column 4, line 9 reads "...repeater electronics 25 which is mounted elsewhere on the..." and should read – ...repeater electronics 25 which are mounted elsewhere on the... –.

Column 4, line 63 reads "...approach required that the filters 160, 162, provide all of the..." and should read – ...approach required that the filters 160, 162 provide all of the ... –.

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.  
2700 Carew Tower  
441 Vine Street  
Cincinnati, OH 45202-2917

PATENT NO. 6,934,511

No. of add'l copies

@ 50¢ per page: \_\_\_\_\_

PAGE 1 of 6

SEP 05 2005

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,934,511

DATED : August 23, 2005

INVENTOR(S) : Breck W. Lovinggood, Mano D. Judd, and William P. Kuiper

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 6, lines 66-67 read "...angles and elevations can then be used to create with desired beam. In FIG. 20, the antennas 600 in an N by N (e.g., 3 by..." and should read - ...angles and elevations can then be used to create the desired beam. In FIG. 20, the antennas 600 in an N by N (e.g., 3 by... -.

Column 7, line 20 reads "...122a may mount a plurality / elements 600 which may be ..." and should read - ...122a may mount a plurality antenna elements 600 which may be ... -.

Column 7, lines 23-24 read "The relatively thin housing 152a may between the two faces or surfaces 122a and 132a may house the electronics." and should read - The relatively thin housing 152a between the two faces or surfaces 122a and 132a may house the electronics. -.

Column 7, line 41 reads "...FIG. 23, each of the surfaces 122d and 132d may of antenna..." and should read - ... FIG. 23, each of the surfaces 122d and 132d of antenna... -.

Column 8, line 62 reads "...element, is simply a patch that forces more energy in the..." and should read - ...element is simply a patch that forces more energy in the... -.

Column 9, line 30 reads "...between the patches on opposites sides, and allows one to..." and should read - ...between the patches on opposite sides, and allows one to... -.

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.  
2700 Carew Tower  
441 Vine Street  
Cincinnati, OH 45202-2917

PATENT NO. 6,934,511

No. of add'l copies

@ 50¢ per page: \_\_\_\_\_

PAGE 2 of 6

05 2005

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

PATENT NO. : 6,934,511

DATED : August 23, 2005

INVENTOR(S) : Breck W. Lovinggood, Mano D. Judd, and William P. Kuiper

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 9, line 58 reads "...coupled to one terminal a summer 283. All of the lines 288..." and should read - ...coupled to one terminal of summer 283. All of the lines 288... -.

Column 10, line 21 reads "...canceller to provide additional gain and phase margin, is..." and should read - ...canceller to provide additional gain and phase margin and is... -.

Column 13, line 31 reads "...5, the function of the filters 200, 202 is incorporate in the..." and should read - ...5, the function of the filters 200, 202 is incorporated in the... -.

Column 14, CLAIM 7, line 42 reads "...patch antenila elements comprises a reduced surface wave..." and should read -...patch antenna elements comprises a reduced surface wave...-.

Column 14, CLAIM 10, line 60 reads "...ahtenna and wherein said repeater electronics further include..." and should read -...antenna and wherein said repeater electronics further include...-.

Column 15, CLAIM 17, line 36 reads "...line delay, coupled respectively with the antennas elements..." and should read - ...line delay, coupled respectively with the antenna elements... -.

Column 15, CLAIM 19, line 43 reads "...antenna and said null antenna each comprise a fiat panel and..." and should read - ...antenna and said null antenna each comprise a flat panel and... -.

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.  
2700 Carew Tower  
441 Vine Street  
Cincinnati, OH 45202-2917

PATENT NO. 6,934,511

No. of add'l copies

@ 50¢ per page: \_\_\_\_\_

PAGE 3 of 6

SEP 05 2005

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,934,511

DATED : August 23, 2005

INVENTOR(S) : Breck W. Lovinggood, Mano D. Judd, and William P. Kuiper

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 16, CLAIM 24, line 4 reads "...thereon each of said antennas defining a peripheral edge..." and should read - ...thereon, each of said antennas defining a peripheral edge... -.

Column 16, CLAIMS 28 & 29, lines 16-25: Upon review of the issued patent and the claims therein, it was discovered that the claims 28-29 are duplicative in language to issued claims 22-23 and should have been deleted in prosecution. To address this oversight, please delete issued claims 28-29 in this patent as duplicative. The subject matter of those claims, as reflected in the remaining claims 22-23, is not disclaimed, and claims 22-23 should remain intact as issued.

Column 16, CLAIM 30, line 27 reads "...antenna and said null antenna each comprise a relatively fiat..." and should read - ...antenna and said null antenna each comprise a relatively flat... -.

Column 16, CLAIM 33, line 48 reads "...in both an uplink path and a downlink antenna." and should read - ...in both an uplink path and a downlink path. -.

Column 16, CLAIM 35, line 55 reads "...transmit and receive repeater arrays." and should read - ...transmit and receive antenna arrays. -.

Column 16, CLAIM 36, line 57 reads "...said donor and null antenna comprise an antenna array..." and should read - ...said donor and null antenna comprises an antenna array... -.

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.  
2700 Carew Tower  
441 Vine Street  
Cincinnati, OH 45202-2917

PATENT NO. 6,934,511

No. of add'l copies

@ 50¢ per page: \_\_\_\_\_

PAGE 4 of 6

SEP 05 2005

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

PATENT NO. : 6,934,511

DATED : August 23, 2005

INVENTOR(S) : Breck W. Lovinggood, Mano D. Judd, and William P. Kuiper

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 16, CLAIM 36, lines 58-59 read "...comprising a plurality of patch antenna elements arranged in a an M by N array." and should read – ...comprising a plurality of patch antenna elements arranged in an M by N array. –.

Column 17, CLAIM 42, line 22 reads "...antenna array, for controller for controlling operation of said..." and should read – ...antenna array, a controller for controlling operation of said... –.

Column 17, CLAIM 43, line 30 reads "...and coupled respectively with the antennas elements of the..." and should read – ...and coupled respectively with the antenna elements of the... –.

Column 18, CLAIM 53, line 19 reads "...an L/Q modulator coupled to said attenuator and to said..." and should read – ...an I/Q modulator coupled to said attenuator and to said... –.

Column 18, CLAIM 56, line 32 reads "...bent material surround each said antenna face." and should read – ...bent material surrounds each said antenna face. –.

Column 19, CLAIM 63, line 1 reads "...respectively with the antennas elements of the donor..." and should read – ...respectively with the antenna elements of the donor... –.

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.  
2700 Carew Tower  
441 Vine Street  
Cincinnati, OH 45202-2917

PATENT NO. 6,934,511

No. of add'l copies

@ 50¢ per page: \_\_\_\_\_

PAGE 5 of 6

SEP 05 2005



**UNITED STATES PATENT AND TRADEMARK OFFICE**  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,934,511

DATED : August 23, 2005

INVENTOR(S) : Breck W. Lovinggood, Mano D. Judd, and William P. Kuiper

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 19, CLAIM 68, line 16 reads "...viding setup, communication and monitoring functions for..." and should read – ...viding setup, communications and monitoring functions for... –.

Column 19, CLAIM 79, line 66 reads "...put signal sample and JIQ modulating the attenuating signal..." and should read – ...put signal sample and I/Q modulating the attenuating signal... –.

Column 20, CLAIM 80, line 3 reads "...receiving said radio frequency signal to one of a donor..." and should read – ...receiving said radio frequency signal at one of a donor... –.

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.  
2700 Carew Tower  
441 Vine Street  
Cincinnati, OH 45202-2917

PATENT NO. 6,934,511

No. of add'l copies

@ 50¢ per page: \_\_\_\_\_

PAGE 6 of 6

SEP 05 2005